



## ExiSAFE Panic and Emergency Exit Hardware

Trusted by **Professionals**



ASSA ABLOY, the global leader  
in door opening solutions



# UNION Panic & Emergency Exit Hardware

Since 1840 UNION has been setting the standard in door hardware. Architects, specifiers, project managers, OEMs and property owners have relied on UNION to keep people and assets safe from intruders and disaster.

You'll find UNION door hardware across the world, providing unrivalled expertise and quality that only products designed, tested and made in the United Kingdom can bring.

**Make the professional choice. Make it UNION.**



## ExiSAFE. Make A Safe Exit.

ExiSAFE from UNION is a comprehensive range of panic and emergency exit hardware for installation in public buildings and private facilities. Conceived to provide effortless and fast escape, and proven through exhaustive testing to over 200,000 cycles to make sure you have exit doors you can rely on.

Perfected during extensive research with architects and specifiers you can be confident ExiSAFE delivers excellent performance, serious durability and timeless style. And with independent certification by Certifire along with CE Marking as standard across all our ExiSAFE range, you can be assured of a quality solution that is designed, tested and manufactured in the UK.

With ExiSAFE you set the standard for panic and emergency exit hardware.

### Quality You Can Rely On

When you specify ExiSAFE you are choosing one of the best known names in door hardware. ExiSAFE delivers UK quality and engineering, backed by a 10-year guarantee.

### Certified To Deliver Safety

Safety you can rely on - that's the focus for ExiSAFE. Featuring the Certifire independent testing quality mark, fire rating and CE marked for safety to ensure peace of mind, ExiSAFE provides the safe exit you expect with a UK designed and manufactured solution.

### Tested Beyond Endurance

ExiSAFE is more than stylish. It's tough. Built on decades of experience in panic exit hardware, ExiSAFE has been tested to over 200,000 cycles. With ExiSAFE, you'll be specifying a solution that meets either BS EN 179 or BS EN 1125 for dependable security and safety.




### Flexible Installation

Fitting ExiSAFE is simple and speedy. Templates speed up drilling and measuring while the universal fit design allows you to install on left or right handed doors, with generous full length rods and bars to fit a wide variety of door dimensions. Plus, with a full spares back-up from UNION you can be confident you will be choosing a Panic Exit solution that will be easy to keep in perfect working order for years to come.



Further information please visit

[www.uniononline.co.uk/exisafe](http://www.uniononline.co.uk/exisafe) or contact us on **0845 223 2124**.





Engineered to combine exceptional quality with legendary toughness, ExiSAFE combines tough security with convenient access control so you can Fit and Forget with confidence.



Silver finish to compliment zinc, aluminium or stainless steel furniture

Reversible latch bolt for universal fitting

Automatic top trip mechanism holds back shoot bolts during opening and closing sweep to protect frame and floor from damage

Fixings hidden by covers to prevent tampering

Slimline design projects less than 100mm, reducing risk of snagging on clothes or objects passing nearby

Anti-thrust feature in non-handed unit stops bolts being forced out of their keeps



Outside Access Devices fully tested with entire ExiSAFE range



Non-handed push pad for emergency applications

Push bars clamped with screw to prevent movement or fallout

Closed arm design reduces risk of finger trapping

Bolt rods can be cut on-site for a perfect fit

Push bars can be cut on-site to suit door width

**FIT AND FORGET.**





# ExiSAFE CE851PB Panic Bolt




## ExiSAFE CE851PB Panic Bolt

ExiSAFE CE851PB is an elegant, sturdy panic bolt for single or double door applications. Automatic top trip and bottom keep plate are supplied as standard while the main body is fitted with an anti-thrust device, preventing leverage of both the top and bottom shoot bolts from their sockets.

- Universal handing
- Fire rated for use on timber and metal doors
- Surface mounted
- Closed arm design
- Timber or metal fixings variants available



|                    |   |   |   |   |   |   |   |   |   |   |
|--------------------|---|---|---|---|---|---|---|---|---|---|
| Classification No. | 3 | 7 | 6 | B | 1 | 3 | 2 | 2 | A | A |
| EN 1125            |   |   |   |   |   |   |   |   |   |   |



| PRODUCT CODE   | DESCRIPTION                         |
|----------------|-------------------------------------|
| J-CE851PB-SIL  | ExiSAFE Panic Bolt for Timber Doors |
| J-CE851PBM-SIL | ExiSAFE Panic Bolt for Metal Doors  |





ExiSAFE CE852DDREB for Rebated Double Doors

The ExiSAFE CE852DDREB for rebated double doors is a complete package consisting of a single panic bolt (CE851PB) and a single panic latch (CE853PL). Automatic top trip, bottom keep plate and centre box keep are supplied as standard while the main body is fitted with an anti-thrust device, preventing leverage of both the top and bottom shoot bolts from their sockets. The latch can be easily re-handed on-site.

- Universal handing
- Fire rated for use on timber and metal doors
- Surface mounted
- Closed arm design
- Timber or metal fixings variants available

CE

certifire

APPROVED PRODUCT

CF5658

10 YEAR


T

Timber Door FD120

M

Metal Door FD240

|                    |   |   |   |   |   |   |   |   |   |   |
|--------------------|---|---|---|---|---|---|---|---|---|---|
| Classification No. | 3 | 7 | 6 | B | 1 | 3 | 2 | 2 | A | A |
| EN 1125            |   |   |   |   |   |   |   |   |   |   |







ExiSAFE CE853PL Panic Latch

ExiSAFE CE853PL is a surface mounted panic latch for both single or double door applications. Depressing the push bar allows safe and fast exit, whilst keeping a building secure from intruders.

- Universal handing
- Fire rated for use on timber and metal doors
- Surface mounted
- Closed arm design
- Timber or metal fixings variants available

CE

certifire

APPROVED PRODUCT

CF5658

10 YEAR


T

Timber Door FD120

M

Metal Door FD240

|                    |   |   |   |   |   |   |   |   |   |   |
|--------------------|---|---|---|---|---|---|---|---|---|---|
| Classification No. | 3 | 7 | 6 | B | 1 | 3 | 2 | 2 | A | A |
| EN 1125            |   |   |   |   |   |   |   |   |   |   |



| PRODUCT CODE   | DESCRIPTION                                     |
|----------------|-------------------------------------------------|
| J-CE853PL-SIL  | ExiSAFE Reversible Panic Latch for Timber Doors |
| J-CE853PLM-SIL | ExiSAFE Reversible Panic Latch for Metal Doors  |







ExiSAFE CE854EL Push Pad Emergency Latch

ExiSAFE CE854EL is a surface mounted emergency latch for both single or double door applications. Depressing the push pad allows safe and fast exit in the event of an emergency, whilst keeping a building secure from intruders.

- Universal handing
- Fire rated for use on timber and metal doors
- Surface mounted
- Closed arm design
- Timber or metal fixings variants available



|                    |   |   |   |   |   |   |   |   |   |   |
|--------------------|---|---|---|---|---|---|---|---|---|---|
| Classification No. | 3 | 7 | 6 | B | 1 | 3 | 4 | 2 | B | A |
| EN 179             |   |   |   |   |   |   |   |   |   |   |



| PRODUCT CODE   | DESCRIPTION                                       |
|----------------|---------------------------------------------------|
| J-CE854EL-SIL  | ExiSAFE Push Pad Emergency Latch for Timber Doors |
| J-CE854ELM-SIL | ExiSAFE Push Pad Emergency Latch for Metal Doors  |



# ExiSAFE CE858EB Push Pad Emergency Bolt




## ExiSAFE CE858EB Push Pad Emergency Bolt

ExiSAFE CE858EB combines style with durable function as an emergency bolt for single or double door applications. Automatic top trip and bottom kepp plate are supplied as standard, while the main body is fitted with an anti-thrust device, preventing leverage of both the top and bottom shoot bolts from their sockets.

- Universal handing
- Fire rated for use on timber and metal doors
- Surface mounted
- Closed arm design
- Timber or metal fixings variants available



|                    |   |   |   |   |   |   |   |   |   |   |
|--------------------|---|---|---|---|---|---|---|---|---|---|
| Classification No. | 3 | 7 | 6 | B | 1 | 3 | 4 | 2 | B | A |
| EN 179             |   |   |   |   |   |   |   |   |   |   |



| PRODUCT CODE   | DESCRIPTION                                      |
|----------------|--------------------------------------------------|
| J-CE858EB-SIL  | ExiSAFE Push Pad Emergency Bolt for Timber Doors |
| J-CE858EBM-SIL | ExiSAFE Push Pad Emergency Bolt for Metal Doors  |





ExiSAFE CE8550AD Outside Access Device

ExiSAFE CE8550AD Outside Access Devices (OAD) are designed to work perfectly with the panic and emergency exit solutions. Certified for fire doors, included in EN 179 and EN 1125 tests and available with cylinders for instant security, ExiSAFE OADs complete your escape door solution.


CE8550ADL

The easy to use lever operated OAD that meets the dimensional requirements of BS8300 for barrier-free access to all building users. The unit is supplied with 3 keys, with the option of master keyed 45mm Euro profile cylinder for additional security. The CE8550ADL lever OAD uses a shear screw fitting designed to break under excessive force when locked, protecting the building.

CE8550ADK

The traditional knob design is more compact and less obtrusive on a door face, which reduces the risk of clothes or items in transit being snagged. CE8550ADK delivers exceptional security for exit doors with the option of using master keyed 40mm Euro profile cylinder for additional security.

- Universal fit
- Fire rated for use on timber and metal doors
- Surface mounted on the outside of the door using concealed machine screws
- Lever is supplied with special shear screw designed to break under excessive force
- Supplied as standard for doors up to 45mm thick (knob OAD) or 55mm thick (lever OAD)
- Longer spindles and screws are available on request
- Dual timber and metal fixings
- Included in EN 179 and EN 1125 testing of ExiSAFE products



| PRODUCT CODE     | DESCRIPTION                     |
|------------------|---------------------------------|
| J-CE8550ADLC-SIL | ExiSAFE Lever OAD with cylinder |
| J-CE8550ADL-SIL  | ExiSAFE Lever OAD               |
| J-CE8550ADKC-SIL | ExiSAFE Knob OAD with cylinder  |
| J-CE8550ADK-SIL  | ExiSAFE Knob OAD                |



Product features

Single doors

| Product No.    | Description                                       | Max. Single Door Width (mm) | EN Standard |            | Bolt Style |       | Steel Door Fixings | CE Mark | Certifire Tested | Fire Rated   |             | Locking Points | Finish | Warranty |
|----------------|---------------------------------------------------|-----------------------------|-------------|------------|------------|-------|--------------------|---------|------------------|--------------|-------------|----------------|--------|----------|
|                |                                                   |                             | 179 (pad)   | 1125 (bar) | Shoot      | Latch |                    |         |                  | Timber FD120 | Metal FD240 |                |        |          |
| J-CE851PB-SIL  | ExiSAFE Panic Bolt for Timber Doors               | 2440 x 1230                 |             | ●          | ●          |       |                    | ●       | ●                | ●            |             | 2              | SIL    | 10 YEARS |
| J-CE851PBM-SIL | ExiSAFE Panic Bolt for Metal Doors                | 2440 x 1230                 |             | ●          | ●          |       | ●                  | ●       | ●                | ●            | ●           | 2              | SIL    | 10 YEARS |
| J-CE853PL-SIL  | ExiSAFE Reversible Panic Latch for Timber Doors   | 2440 x 1230                 |             | ●          |            | ●     |                    | ●       | ●                | ●            |             | 1              | SIL    | 10 YEARS |
| J-CE853PLM-SIL | ExiSAFE Reversible Panic Latch for Metal Doors    | 2440 x 1230                 |             | ●          |            | ●     | ●                  | ●       | ●                | ●            | ●           | 1              | SIL    | 10 YEARS |
| J-CE854EL-SIL  | ExiSAFE Push Pad Emergency Latch for Timber Doors | 2440 x 1230                 | ●           |            |            | ●     |                    | ●       | ●                | ●            |             | 1              | SIL    | 10 YEARS |
| J-CE854ELM-SIL | ExiSAFE Push Pad Emergency Latch for Metal Doors  | 2440 x 1230                 | ●           |            |            | ●     | ●                  | ●       | ●                | ●            | ●           | 1              | SIL    | 10 YEARS |
| J-CE858EB-SIL  | ExiSAFE Push Pad Emergency Bolt for Timber Doors  | 2440 x 1230                 | ●           |            | ●          |       |                    | ●       | ●                | ●            |             | 2              | SIL    | 10 YEARS |
| J-CE858EBM-SIL | ExiSAFE Push Pad Emergency Bolt for Metal Doors   | 2440 x 1230                 | ●           |            | ●          |       | ●                  | ●       | ●                | ●            | ●           | 2              | SIL    | 10 YEARS |


Rebated double doors

| Product No.       | Description                                                 | Max. Single Door Width (mm) | EN Standard |            | Bolt Style |       | Steel Door Fixings | CE Mark | Certifire Tested | Fire Rated   |             | Locking Points | Finish | Warranty |
|-------------------|-------------------------------------------------------------|-----------------------------|-------------|------------|------------|-------|--------------------|---------|------------------|--------------|-------------|----------------|--------|----------|
|                   |                                                             |                             | 179 (pad)   | 1125 (bar) | Shoot      | Latch |                    |         |                  | Timber FD120 | Metal FD240 |                |        |          |
| J-CE852DDREB-SIL  | ExiSAFE Panic Set for Rebated Double Doors for Timber Doors | 2440 x 1230                 |             | ●          | ●          | ●     |                    | ●       | ●                | ●            |             | 3              | SIL    | 10 YEARS |
| J-CE852DDREBM-SIL | ExiSAFE Panic Set for Rebated Double Doors for Metal Doors  | 2440 x 1230                 |             | ●          | ●          | ●     | ●                  | ●       | ●                | ●            | ●           | 3              | SIL    | 10 YEARS |


Outside Access Device

| Product No.      | Description                     | Access Type |       | UNION Cylinder + 3 keys | Part of CE Mark Test | Part of Certifire Approval | Fire Rated   |             | BS 8300 Compliant | Finish | Warranty |
|------------------|---------------------------------|-------------|-------|-------------------------|----------------------|----------------------------|--------------|-------------|-------------------|--------|----------|
|                  |                                 | Knob        | Lever |                         |                      |                            | Timber FD120 | Metal FD240 |                   |        |          |
| J-CE8550ADLC-SIL | ExiSAFE Lever OAD with cylinder |             | ●     | ●                       | ●                    | ●                          | ●            | ●           | ●                 | SIL    | 10 YEARS |
| J-CE8550ADL-SIL  | ExiSAFE Lever OAD               |             | ●     |                         | ●                    | ●                          | ●            | ●           | ●                 | SIL    | 10 YEARS |
| J-CE8550ADKC-SIL | ExiSAFE Knob OAD with cylinder  | ●           |       | ●                       | ●                    | ●                          | ●            | ●           |                   | SIL    | 10 YEARS |
| J-CE8550ADK-SIL  | ExiSAFE Knob OAD                | ●           |       |                         | ●                    | ●                          | ●            | ●           |                   | SIL    | 10 YEARS |


Single doors



Non-rebated double doors



Rebated double doors





ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

**ASSA ABLOY**

ASSA ABLOY Opening Solutions UK & Ireland  
Door Hardware & Access Control Group  
School Street  
Willenhall  
West Midlands  
WV13 3PW  
Tel: 0845 223 2124  
Fax: 0845 223 2125  
Email: [info@uniononline.co.uk](mailto:info@uniononline.co.uk)  
Web: [www.uniononline.co.uk](http://www.uniononline.co.uk)

Version 2- June 2019